






























Date:		Location:			Collector(s):		
Temp:	Cloud Cover: clear scattered broken overcast				Wind (mph):	Aspect:	
3 Dominant Tree Species: 1.		2.			3.		
Canopy Cover	0-20%	20-40%	40-60%	60-80%	80-100%		
Precipitation (circle one): Light Rain / Heavy Rain / Snow / Mist / Sleet		Precipitation since last:			Date last recorded precip.:		
Collecting Method (circle one): Pit Fall Traps / Flight Intercept Traps / Lundgren Funnel / Beating Sheets / Sweep Nets / Leaf Litter Sifters							
Snails (Gastropoda)			Bristletails (Thysanura)			Lacewings (Neuroptera)	
Earth Worm: (Oligochaeta)			Mayflies (Ephemeroptera)			Adult Beetles (Coleoptera)	
Spiders (Araneae)			Grasshoppers etc. (Orthoptera)			Beetle larvae (Coleoptera)	
Daddy-long-leg: (Opiliones)			Woodroaches (Blattodea)			Caddisflies (Trichoptera)	
Mites & Ticks (Acari)			Earwigs (Dermaptera)			Butterflies & Moths (Lepidoptera)	
Pseudoscorpiones			Stoneflies (Plecoptera)			Caterpillars (Lepidoptera)	
Pill Bugs/Rolly-Polli (Isopoda)			Booklice/Barklice (Psocoptera)			Adult Flies & Gnats (Diptera)	
Millipedes (Diplopoda)			Thrips (Thysanoptera)			Fly and Gnat larvae (Diptera)	
Centipedes (Chilopoda)			True Bugs (Hemiptera)			Bees/Ants/Wasps (Hymenoptera)	
Springtails (Collembola)			Leafhoppers/Aphids/Cicadas (Homoptera)			Other Unidentified Invertebrates:	
Notes:							